







① **TYPICAL LAYOUT - 3 STRAND BARBED WIRE FENCE**
NO SCALE



TYPICAL BARBED-WIRE DROP GATE DETAIL
NO SCALE




TYPICAL PANEL GATE DETAIL
NO SCALE



NOTE:
ALL BARBED-WIRE STRANDS SHALL BE WRAPPED TWICE AROUND PULL POST AND STAPLED AT LEAST 4 TIMES.

PULL POST BRACE PANEL DETAIL
NO SCALE



DAP DETAIL
NO SCALE

NOTES:

1. THE SPACING OF END OR CORNER PANEL AND BRACE PANEL OF 10' AND 9' IS MAXIMUM. WHEN CORNER OR END PANEL CONFLICTS WITH GATE OR CATTLE GUARD BRACE PANELS, OR TWO CORNER PANELS CONFLICT, BRACING AND SPACING OF POSTS SHALL BE ALTERED TO PROVIDE ADEQUATE BRACING AS REQUIRED.
2. THE GATE SHOWN IS TYPICAL. ANY STANDARD COMMERCIAL GATE THAT VARIES ONLY IN NON-ESSENTIAL DETAILS SHALL BE ACCEPTABLE, SUBJECT TO APPROVAL.
3. LATCH AND PIN FOR PANEL GATE IS REQUIRED, BUT NOT SHOWN.

\$\$ - THINK VALUE ENGINEERING - \$\$			
Symbol	Revisions	Date	Approved
①	REV #0001 GENERAL REVISIONS	3/17/04	JWE
U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS OMAHA, NEBRASKA			
Designed by:	X	BASE NAME	BASE LOCATION
Drawn by:	X	STANDARD DETAILS FOR CHAIN-LINK SECURITY FENCES, FARM STYLE FENCES AND A DOUBLE CABLE BARRIER	
Checked by:	X	FARM STYLE 3-STRAND BARBED-WIRE FENCE DETAILS	
Reviewed by:	X	Plot Scale Ratio: 3/4	Date: 03/17/04
Submitted by:	X	Design File: BWFENCE.DWG	Sheet Number: 11
Chief: X		Drawing Code: DAKA 45	STD 872-90-11