







① **TYPICAL LAYOUT - 5 STRAND BARBED WIRE FENCE**
NO SCALE



TYPICAL BARBED-WIRE DROP GATE
DETAIL NO SCALE




TYPICAL PANEL GATE
DETAIL NO SCALE



NOTE:
ALL BARBED-WIRE STRANDS SHALL BE WRAPPED
TWICE AROUND PULL POST AND STAPLED AT
LEAST 4 TIMES.

PULL POST BRACE PANEL
DETAIL NO SCALE



DAP DETAIL
NO SCALE

NOTES:

1. THE SPACING OF END OR CORNER PANEL AND BRACE PANEL OF 10' AND 9' IS MAXIMUM. WHEN CORNER OR END PANEL CONFLICTS WITH GATE OR CATTLE GUARD BRACE PANELS, OR TWO CORNER PANELS CONFLICT, BRACING AND SPACING OF POSTS SHALL BE ALTERED TO PROVIDE ADEQUATE BRACING AS REQUIRED.
2. THE GATE SHOWN IS TYPICAL. ANY STANDARD COMMERCIAL GATE THAT VARIES ONLY IN NON-ESSENTIAL DETAILS SHALL BE ACCEPTABLE, SUBJECT TO APPROVAL.
3. LATCH AND PIN FOR PANEL GATE IS REQUIRED, BUT NOT SHOWN.

\$\$ - THINK VALUE ENGINEERING - \$\$

Symbol	Revisions	Descriptions	Date	Approved
(1) REV #0001 GENERAL REVISIONS 3/17/04 JWE				
U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS OMAHA, NEBRASKA				
Designed by:	X	BASE NAME	BASE LOCATION	
Drawn by:	X	STANDARD DETAILS FOR CHAIN-LINK		
Checked by:	X	FENCES AND A DOUBLE CABLE		
Reviewed by:	X	BARRED		
Submitted by:	X	FARM STYLE 5-STRAND		
Chief x		BARBED-WIRE FENCE DETAILS		
		Plot Scale Ratio: 3/4	Date: 03/17/04	Sheet
		Design File: 3_BW FENCE3.DWG	Drawing Code:	Number
		Spec. No.:	DATA 45	
		Contract No.:	STD 872-90-13	13